




MEISTER



Laminate flooring

MeisterDesign. laminate



**THANK GOD
IT'S LAMINATE!**



NO PVC. NO
COMPROMISE.





Ecological and compatible with healthy living

Our laminate consists of 95% natural materials – particularly wood – is almost entirely carbon-neutral and is free from PVC and plasticisers. Sustainable flooring that is made for healthy living.

Durable and low-maintenance

The robust and durable surface prevents the ingress of dust and dirt. The “Diamond Pro” surface finish increases resistance against micro-scratches and abrasion and offers additional protection against wear and tear. That is what makes MEISTER laminate flooring so hygienic, easy to maintain and durable.

Laminate flooring Meister

BAC NAT

Flexible and easy to use

Thanks to the intelligent click system, all plank formats are easy to install by yourself - and with underfloor heating, of course. With its high wear class of 23/32 and comprehensive protection against humidity, our laminate is extremely flexible and suitable for all living areas and commercial spaces*

Natural and authentic

Modern printing techniques and special embossed surfaces create laminate decors with a deceptively authentic and natural look and feel – especially on products with a synchronous pore structure. The most authentic wood effect among our decor flooring.

Colour-fast

Thanks to its material, laminate flooring is one of the most colour-fast floors there is. Compared to vinyl floors, its colours remain beautiful for years even when exposed to sunlight - perfect for rooms with large windows.

erDesign. laminate

BACK TO NATURE!

Natural and authentic decors paired with ecological responsibility – introducing **BACK TO NATURE.**

Nature is a master of form and colour. Our claim for laminate flooring from MEISTER is to get as close to this as possible. Our focus is on highly authentic and natural oak decors that look and feel just like parquet at first glance. We use sustainable processes and renewable energy sources in our production. We exclusively process renewable raw materials that are free from hazardous substances, and wood from sustainably cultivated forests. All MEISTER laminate flooring is PVC- and plasticiser-free, and certified with the Blue Angel.

Robust, easy to maintain and completely natural – laminate is all-round uncomplicated flooring that is made for healthy living and requires very little attention, allowing you to enjoy a beautiful and durable floor for many years to come – thank God it's laminate.



Laminate flooring: Success all-round

Our laminate flooring not only looks exceedingly natural; its technical properties make MEISTER laminate flooring the perfect addition to your home.

Diamond Pro®-surface*

The special Diamond Pro surface provides special resistance against micro-scratches and abrasion and offers additional protection against wear.

Antistatic finish*

All laminate flooring from MEISTER also has an antistatic finish. This minimises the development of static electricity on people to < 2 kV and thus protects against a lot of discharge on metal objects, e.g. when touching a door handle.

Stain-resistant

Stains on MEISTER laminate flooring caused by waterproof felt-tip pens, nail varnish, wax crayons, chalk, cooking oil, vinegar, paints and varnishes are now a thing of the past. Want to know why? Because small-scale soiling can be removed without leaving any residue using acetone, thinner or alcohol. This makes laminate unique, because this type of cleaning would damage any other type of hard flooring! Laminate is also heat resistant, just like a kitchen countertop made of the composite material HPL.

* Not available for LC 55 (S) / LD 55

AquaSafe system / AquaSafe+ system

All MEISTER laminate floors are water-resistant (except for LC 55 (S) / LD 55), because they provide the comprehensive protection against humidity of the AquaSafe system or AquaSafe+ system. This consists of three effective elements that protect the floor from any moisture penetrating:

→ Surface protection

The melamine resin surface is absolutely waterproof by nature.

→ AquaStop edge impregnation & joint tightness

Together with the AquaStop edge impregnation, the specially developed and patented geometry of the click profile, which works with pre-tension, guarantees that the profile is sealed tightly and permanently.

→ Anti-swelling base board

The effective anti-swelling base board can largely prevent swelling in the event of contact with water (4 hours of protection at stagnant humidity). The "AquaSafe+" base board even offers 24-hour protection against humidity.

Easy to install


If our laminate flooring is one thing, it's straightforward! Not only is this evident in its easy-to-maintain and robust character, but especially in its click system. The system is so simple that you can install this flooring yourself – no gluing, no adhesives and, of course, on underfloor heating. By the way, a floating installation offers a further benefit: The flooring is not soiled by adhesives and is not only easier to remove for renovation, but also easy and completely safe to dispose of.

New 5G™ Dry™ click system

With the new 5G™ Dry™ click system for our LL 250 and LL 150 (S) planks, MEISTER laminate flooring can be installed even more quickly and easily. The system is characterised by a plastic tongue at the end of the plank, which simply locks into place when the plank is laid. In special installation situations (e.g. under door frames), the plank can be tapped into place while lying flat. The construction creates a strong, reliable connection, while being flexible enough that the flooring can easily be disassembled and rearranged. The special profile geometry provides increased water-resistance along both the long and short edges of the plank.

5G™ Dry™ patented technology and registered mark is owned by Välinge Innovation AB. Use of the technology and mark is under license.

PRODUCT STRUCTURE



* Can be installed in humid rooms like e.g. bathrooms. This does not include outdoor areas and wet rooms, e.g. saunas, shower cubicles, steam rooms and rooms with a floor drain.

** Tested bacteria: Staphylococcus aureus, Escherichia coli

TECHNICAL INFORMATION

	LS 350	LL 250	LD 250	LB 150	LL 150 (S)	LD 200	LD 150	LC 150	LD 55	LC 55(S)
Plank look	Herring-bone	Plank	Wide short plank	Tile	Plank	Wide short plank	Short plank			
Effective measurement	840 x 168 mm	2052 x 248 mm	1288 x 244 mm	857 x 398 mm	2052 x 220 mm	1288 x 244 mm	1288 × 198 mm			
Thickness	10 mm			8 mm	8 mm (10 mm)	8 mm			7 mm	7 mm (8,5 mm)
Joint pattern	All-round micro-bevel			All-round V-bevel		All-round micro-bevel	Longitudinal V-bevel / micro-bevel on the end	-	All-round micro-bevel	-
Wear class	23/32								23/31	
AquaSafe-system +	-	✓	✓	-	-	-	-	-	-	-
Suitable for humid rooms	4 hours	24 hours		4 hours					-	-
Antistatic surface	✓	✓	✓	✓	✓	✓	✓	✓	-	-
Diamond Pro-surface	✓	✓	✓	✓	✓	✓	✓	✓	-	-
Sound-absorbing cushion	-	-	-	-	on request 2 mm PUR	-	-	-	-	on request 1.5 mm PUR
Click system	UniZip	5G™ Dry™	Multiclic		5G™ Dry™	Multiclic				
Warranty	25 years in living areas / 5 years in commercial areas								15 years in living areas / 5 years in commercial areas	

5G™ Dry™ patented technology and registered mark is owned by Välinge Innovation AB. Use of the technology and mark is under license.



LC 55 (S) / LD 55

www.blauer-engel.de/uz176



MeisterDesign. laminate at a glance



Plank: LL 250: 2052 x 248 x 10 mm

Wide short plank: LD 250: 1288 x 244 x 10 mm

Wide short plank: LD 200: 1288 x 244 x 8 mm

Plank: LL 150 (S): 2052 x 220 x 8 (10) mm

Short plank: LD 150: 1288 x 198 x 8 mm

Wide short plank: LC 150: 1288 x 198 x 8 mm



MeisterDesign. laminate LD 150 /
Chianti oak 07149 / Wood effect

Formats

Room-sized long planks, practical short planks, modern maxi tiles or herringbone - the laminate range has the right format to suit all tastes and spaces!



Tile: LB 150: 857 x 398 x 8 mm



Short plank: LD 55: 1288 x 198 x 7 mm



Short plank: LC 55 (S): 1288 x 198 x 7 (8,5) mm



Herringbone: LS 350:
840 x 168 x 10 mm



Decors

MeisterDesign. laminate

LS 350

LD 250

LL 250

LB 150

LL 150/LL 150 S

LD 200

LD 150

LC 150

LD 55

LC 55/LC 55 S

Page 14

Page 18

Page 22

Page 28

Page 32

Page 38

Page 42

Page 48

Page 54

Page 58

MeisterDesign. laminate LS 350



Sand cliff oak 07122
Wood effect



Pure relax oak 07113
Wood effect



Sand oak 07004
Wood effect



Sand princess oak 06895
Wood effect



Honey riverbank oak 07127
Wood effect



Champagne oak 07001
Wood effect



Cream princess oak 06896
Wood effect



Amber oak 07002
Wood effect







MeisterDesign. laminate LD 250



Sand cliff oak 07122
Wood effect



Pure relax oak 07113
Wood effect



Sand oak 07004
Wood effect



Sand princess oak 06895
Wood effect



Honey riverbank oak 07127
Wood effect




Champagne oak 07001
Wood effect



Cream princess oak 06896
Wood effect



Amber oak 07002
Wood effect







MeisterDesign. laminate LL 250



White mountain oak 07124
Wood effect



Atacama oak 06380
Wood effect



Pure castle oak 06840
Wood effect



White grey oak 06277
Wood effect



Stream oak 07143
Wood effect



Light castle oak 06841
Wood effect



Light valley oak 07144
Wood effect

**Toffee oak 07142**

Wood effect

**Natural farmer's oak 06832**

Wood effect

**Natural castle oak 06836**

Wood effect

**Dakar oak 06385**

Wood effect

**Nutmeg castle oak 07130**

Wood effect









MeisterDesign. laminate LB 150



Cream stone 07138
Decor



Mineral stone 07137
Decor



Slate grey 06136
Imitation



Copper iron 06857
Decor




Black rock 07136
Decor



Slate anthracite 06137
Imitation







MeisterDesign. laminate
LL 150 / LL 150 S



White riverbank oak 07126
Wood effect



Cappuccino oak 06263
Wood effect



Boathouse oak 06188
Wood effect



Sand cliff oak 07122
Wood effect



Light boathouse oak 06259
Wood effect



Monastery oak 07112
Wood effect



Light cracked oak 06258
Wood effect



Cracked Terra oak 06439

Wood effect



Natural old wood oak 07114

Wood effect



Light field oak 06843

Wood effect



Natural riverbank oak 07117

Wood effect



Nova oak 06413

Wood effect



Steamed riverbank oak 07116

Wood effect



Cognac rustic oak 06256

Wood effect



Muscat oak 06416

Wood effect



Amore walnut 06389

Wood effect









what the fuck
would
YODA
do?



MeisterDesign. laminate LD 200



Taverna oak 06428
Wood effect



Sand cliff oak 07122
Wood effect



Kingdom oak 06899
Wood effect



Pure fountain oak 07152
Wood effect



Wolf oak 07146
Wood effect



Fountain oak 07110
Wood effect



Teak 07145
Wood effect



Dark fountain oak 07111
Wood effect







MeisterDesign. laminate LD 150



White lyed oak 06181
Wood effect



Taverna oak 06428
Wood effect



Sand cliff oak 07122
Wood effect



Caledonia oak 06421
Wood effect



Pure relax oak 07113
Wood effect



Sand oak 07004
Wood effect



Cracked Terra oak 06439
Wood effect



Habanera oak 06429
Wood effect



Arcadia oak 06412
Wood effect



Cream grey oak 07005
Wood effect



Light Chiemsee oak 06376
Wood effect



Champagne oak 07001
Wood effect



Chianti oak 07149
Wood effect



Woodend oak 07014
Wood effect



Hazelbrook oak 07013
Wood effect



Amber oak 07002
Wood effect









MeisterDesign. laminate LC 150



Off-white tower oak 07119
Wood effect



White lyed oak 06181
Wood effect



Monclair oak 07148
Wood effect



Light tower oak 07141
Wood effect



Distinctive pure oak 06273
Wood effect



Taverna oak 06428
Wood effect



Cappuccino oak 06263
Wood effect



Cream tower oak 07120
Wood effect



Casablanca oak 06414
Wood effect



Nova oak 06413
Wood effect



Chianti oak 07149
Wood effect



Honey riverbank oak 07127
Wood effect



Beech 06201
Wood effect



Oak 00462
Wood effect



Oak 06443
Wood effect



Muscat oak 06416
Wood effect



Walnut 06440
Wood effect





MeisterDesign. laminate LD 55



Cabana wood 06681
Wood effect



Fairview oak 07015
Wood effect



Caramel oak 06953
Wood effect



Bayfield oak 06679
Wood effect



Villa oak 07016
Wood effect



East coast oak 06682
Wood effect



Natural English oak 06952
Wood effect



Hill oak 07153
Wood effect







MeisterDesign. laminate
LC 55 / LC 55 S



White oak 06670
Wood effect



Grey oak 06671
Wood effect



Light cracked oak 06258
Wood effect



Natural oak 06675
Wood effect

**Cracked Terra oak 06439**

Wood effect

**Marrakech oak 06396**

Wood effect

**Crosswood 07135**

Wood effect

**Nevado oak 07147**

Wood effect

**Maple 00202**

Wood effect

**Beech 06201**

Wood effect

**Natural oak 06067**

Wood effect

**Walnut 00211**

Wood effect











For the perfect finish


With MEISTER you are sure that everything goes together!
Underlay materials, skirting boards, profiles and ends –
you get everything from one source, making your flooring into a
long-lasting integrated furnishing solution that suits you perfectly.



Skirting board 12 PK profile / Plain white gloss 00324 (decorative film)

White/plain skirting boards

White skirting boards suit every style and effortlessly complement all other colours. Our mouldings with a white decorative film combine excellently with all floors. Some profiles are also available in the plain colours black, stainless steel and anthracite.



Skirting boards in the same shade

Mouldings in the same shade or decor achieve pure harmony between the floor and skirting boards. They match the decor of the respective flooring, visually extending the floor up to the wall.



Skirting board 3 PK profile / Hazelbrook oak 07013 / Wood effect




Skirting board 9 PK profile / Paintable white 02222 (individual colour)

Skirting boards to paint yourself


The same colour as your walls? To match your furniture? Or completely different? It's up to you: design your skirting boards exactly according to your preferences!



Beautifully versatile: overview of skirting board profiles




Skirting board
2 PK profile



Skirting board
3 PK profile




Skirting board
5 PK profile




Skirting board
profile 6




Quarter round
profile 7




Skirting board
8 PK profile




Skirting board
9 PK profile




Skirting board
10 PK profile
10 F MK profile




Skirting board
11 PK profile
11 F MK profile




Skirting board
12 PK profile
12 F MK profile




Skirting board
13 PK profile



Skirting board
14 MK profile
14 F MK profile




Skirting board
15 MK profile
15 F MK profile




Skirting board
16 MK profile




Skirting board
profile 17




Skirting board
18 MK profile




Skirting board
19 PK profile



Skirting board
20 PK profile



Skirting board
20 PK Aqua profile



Skirting board
21 F MK profile



Skirting board
22 F MK profile



PK / MK profiles:
Base material MDF
(PK Aqua: base material ABS)

F MK profiles:
Base material spruce

The complete system counts: Underlay for high-quality flooring

Without good underlay, it's not a good floor. The underlay material has a significant influence on the durability of the flooring and is an important component of how the entire system functions as far as day-to-day wear is concerned. Premium-quality flooring may suffer damage when laid on poor-quality underlay. High-quality underlay, on the other hand, ensures that your flooring will bring you lasting enjoyment; it prevents damage to the click connections through optimum pressure stability, for example, whereas excessively soft underlay can have a significantly negative effect on fold-down connections. When choosing an underlay material, both the sub-flooring and the flooring to be installed are important. Whether your sub-flooring is concrete, wooden floorboards, drywall or existing flooring such as tiles or stone:

With a comprehensive underlay range, MEISTER ensures that every MEISTER floor can be laid on your sub-flooring.

Underlay/ subfloor	Silence 25 dB	Silence 20	Silence 15 dB	SilenceEco	Twin control	Foam film	Plastic (PE) film
Wooden planks	–	✓	–	✓	–	✓	–
Prefabricated screed (e.g. wood-based boards, OSB boards, dry screed boards)	–	✓	–	✓	–	✓	–
Mineral subfloors (e.g. cement screed, anhydride screed)	✓	with plastic (PE) film	✓	with plastic (PE) film	✓	with plastic (PE) film	✓
Mastic asphalt screed	–	✓	–	✓	–	✓	–
Existing coverings (e.g. ceramic tiles and boards, natural stone)	✓	with plastic (PE) film	✓	with plastic (PE) film	✓	with plastic (PE) film	✓
PVC/linoleum in rolls	–	✓	–	✓	–	✓	–

The MEISTER underlay materials:

Thanks to the special PUR mineral blend, MEISTER Silence 25 DB, MEISTER-Silence 20 or MEISTER-Silence 15 DB are the ideal insulating underlay for effective room and footfall noise protection. The high net weight of the products also further improves their sound-absorbing properties. In the case of Silence 25 DB and 15 DB the vapour barrier is already integrated, eliminating the need to lay an additional PE film. This is also true for MEISTER Twin Control. The insulating underlay made from closed-cell, moisture-resistant, permanently elastic extruded polyurethane foam also features a practical, integrated self-adhesive strip along its length. With a roll length of 25 m, it is fast and easy to lay and additionally offers excellent footfall noise reduction. Our MEISTER SilenceEco insulating board in the format 59 × 79 cm is highly sustainable, as it is made largely of natural wood fibres – a renewable raw material. At 3 mm thick, it ranks alongside MEISTER Silence 25 DB as one of the thickest underlays in the MEISTER product range. MEISTER foam film is an insulating underlay with a higher density than many other commercially available foam films; in combination with MEISTER PE film, it provides optimum moisture protection.


All MEISTER underlay materials can be installed on underfloor heating. They comply with the technical bulletin provided by the European Producers of Laminate Flooring (EPLF) based on CEN/TS 16354.


1. MEISTER Silence 25 DB with integrated vapour barrier / 3 mm
2. MEISTER Silence 20 / 2.5 mm
3. MEISTER-Silence 15 DB with integrated vapour barrier / 2 mm
4. MEISTER SilenceEco / 3 mm
5. MEISTER Twin Control with integrated vapour barrier and adhesive strips / 2 mm
6. MEISTER foam film / 2 mm



Selection, installation, maintenance and the like: Online services covering laminare flooring

From floor selection and installation to cleaning, value preservation and small repairs, our website www.meister.com and our YouTube channel (youtube.com/MeisterWerkeTV) offer valuable tips and information all about your new MEISTER laminate flooring!








View flooring in your own room

Deciding on a new floor is not always easy. Light? Dark? What format? Does the flooring match the sofa? All these questions can be easily answered using our MEISTER Interior Designer, because with this tool you can view MEISTER flooring in your own room!



Go to the Interior Designer:
<https://www.meister.com/en/service/interior-designer-new.html>



Installation videos


Installing MeisterDesign. laminate with 5G™ Dry™

5G™ Dry™ is a convenient click system that can be installed without a hammer and nonetheless remains completely stable and sealed.

5G™ Dry™ patented technology and registered mark is owned by Vålinge Innovation AB. Use of the technology and mark is under license.



Watch 5G™ Dry™ installation video:
www.meister.com/laminat-5G



Installing MeisterDesign. laminate with Multiclic

With the Multiclic click system, the planks are angled in towards each other longitudinally and at the head end – simply, quickly and securely!



Watch the Multiclic installation video:
www.meister.com/laminat-multiclic

Installing LS 350 (herringbone) with UniZip

And despite its highly artistic look, herringbone parquet from MEISTER is extremely easy to install – this also applies to the LS 350 laminate collection.




Watch the UniZip installation video:
www.meister.com/unizip

Tips for cleaning and care

Laminate flooring is absolutely straightforward in terms of cleaning and care – usually, vacuuming or sweeping is completely sufficient. You can find tips about suitable cleaning products and cleaning stubborn dirt on our website under the Advice tab.



<https://www.meister.com/en/advice.html>





© 2024 by MeisterWerke Schulte GmbH

Printed on 100% recycled paper, FSC®-certified

Colours and textures may vary due to printing conditions.

We reserve the right to make changes. No responsibility is assumed for errors.

MEISTER – a MeisterWerke Schulte GmbH brand

Johannes-Schulte-Allee 5 / 59602 Rüthen-Meiste / GERMANY

Phone + 49 2952 816-0 / Fax + 49 2952 816-66 / www.meister.com

02/24

EN